

# INDEX MAPS.

**T. 34 N. R. 7 W. 2<sup>nd</sup> Mer.**

	412		412		411		411		410		410	
412	6	430	5	427	4	424	3	420	2	417	1	410
	<del>432</del>		<del>430</del>		<del>427</del>		<del>423</del>		<del>420</del>		<del>417</del>	
412	7	430	8	427	9	423	10	420	11	417	12	409
	<del>432</del>		<del>430</del>		<del>426</del>		<del>423</del>		<del>419</del>		<del>416</del>	
413	18	429	17	426	16	422	15	419	14	416	13	409
	<del>431</del>		<del>429</del>		<del>426</del>		<del>422</del>		<del>419</del>		<del>416</del>	
413	19	429	20	425	21	422	22	419	23	415	24	409
	<del>431</del>		<del>428</del>		<del>425</del>		<del>422</del>		<del>418</del>		<del>415</del>	
413	30	428	29	425	28	421	27	418	26	415	25	408
	<del>431</del>		<del>428</del>		<del>424</del>		<del>421</del>		<del>418</del>		<del>415</del>	
412	31	427	32	424	33	421	34	418	35	414	36	408
	408		407		407		407		407		407	

**T. 35 N. R. 7 W. 2<sup>nd</sup> Mer.**

	441		441		440		440		440		439	
443	6	468	5	462	4	457	3	452	2	448	1	439
	468		467		462		457		452		448	
443	7	467	8	461	9	456	10	451	11	447	12	439
	467		466		461		456		451		447	
443	18	466	17	460	16	455	15	451	14	447	13	439
	465		465		460		455		451		446	
442	19	465	20	457	21	454	22	450	23	446	24	439
	464		464		457		454		450		445	
442	30	464	29	458	28	454	27	449	26	445	25	437
	463		463		458		453		449		444	
442	31	462	32	458	33	453	34	448	35	444	36	437
	436		436		436		435		435		435	

(P) The figures on the lines refer to the page.

407

Township 34 North, Range 7 West 2<sup>nd</sup> Mer. Ind.

South Boundary.

Var. 5° 57' E.

West On S. side of sec. 36  
40.00 Set q<sup>r</sup>. sec. post. no bearing.  
80.00 Set post cov. sec. 35 & 36. no do.  
Land rolling good prairie some broken  
by wet hollows.

---

West On S. side of sec. 35  
25.30 Enter a pond  
35.00 Leave Do.  
40.00 Set q<sup>r</sup>. sec. post. No bearings,  
55.50 To N. end of grove  
69.54 a Y. Oak 20 in. dia. (dead) & Enter prairie  
80.00 Set post cov. sec. 34 & 35 from which  
a Br. Oak 10 in. dia. bears N 89° E 104 yds. dist.  
& a W. Oak 18 " " " S 26½° E 6.75 " "  
Prairie similar to last grove good soil  
very thinly timbered Br. & Y. Oak &c.

---

West On S. side of sec. 34,  
40.00 Set q<sup>r</sup>. sec. post. No bearings,  
80.00 Set post cov. sec. 33 & 34. No. Do.  
Land high rolling dry prairie & 1<sup>st</sup> rate soil

---

West On S. side of sec. 33.  
40.00 Set q<sup>r</sup>. sec. post. No bearings.  
56.25 Enter marsh  
68.40 Leave Do.  
80.00 Set post cov. sec. 32 & 33. No bearings.  
Land &c. similar. not as high. & some low  
places in the neighbourhood.

---

West On S. side of sec. 32  
40.00 Set q<sup>r</sup>. sec. post. no mound nor bearings  
68.75 Enter marsh with some Willow & Aspen brush

T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind. "

- 80.00 Set post cov. sec. 31 & 32 in low prairie  
a Willow 4 in. dia. bears N 88 $\frac{1}{2}$  E 427 lks. dist,  
No other - no mound  
Land similar,

- Met On S. side of sec. 31  
2.00 Leave marsh  
40.00 Set q<sup>r</sup>. Sec. post. No bearings  
80.80 Intersect West boundary, at 5.78.97 - set  
post cov. Towns 33 & 34 N. Rs. 7 & 8 W. -  
No mound nor bearings,  
Land &c. similar mostly low level broken  
by wet places. Warm weather. February 5<sup>th</sup> 1834  
Surveyed by Robt. Clark. Dep. Sur.

## East Boundary.

Var. 6<sup>th</sup> E.

- North On E. side of sec. 36,  
29.00 Enter wet prairie  
37.50 a Brook 15 lks. wide course S.E. not durable  
40.00 Set q<sup>r</sup>. Sec. post in wet prairie. no mound  
41.00 Leave wet prairie  
80.00 Set post cov. sec. 25 & 36 from which  
no bearings. cov. in dry prairie High past  
rolling 1<sup>st</sup> rate prairie

- North On E. side of sec. 25  
40.00 Set q<sup>r</sup>. sec. post in prairie from which  
a W. Oak 14 in. dia. bears N 75 $\frac{3}{4}$  W 1010 lks. dist,  
75.00 Leave prairie  
80.00 Set post cov. sec. 24 & 25 from which  
a Hickory 13 in. diam. bears S 86 $\frac{1}{4}$  W 216 lks. dist,  
& a Do. 14 " " " S 64 $\frac{1}{2}$  W 220 " "  
Land &c. similar. South of timber.  
Timbered part similar. soil very thin  
timbered with Oak & Hickory &c.

S. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup> 409

- North On E. side of Sec. 24  
 5.97 a Y. Oak 30 in. diam. (dead.)  
 40.00 Set g<sup>r</sup>. Sec. post from which  
     a Hickory 15 in. dia. bears N 32 W 92 lks. dist.  
     & a Do. 6 " " " S 40  $\frac{1}{2}$  W 71 " "  
 44.41 a Hickory 13 " "  
 44.50 " Do. 12 " "  
 70.00 Enter a Marsh  
 75.90 Leave the Do.  
 80.00 Set post cor. sec. 13 & 24 from which  
     a Y. Oak 16 in. dia. bears S 86 W 181 lks. dist.,  
     & a W. Oak 19 " " " N 20  $\frac{1}{2}$  W 99 " "  
 Land rolling barens good soil (clay)  
 very thinly timbered. mostly Hickory & some  
 Burr & White Oak.

- 
- North On E. side of sec. 13.  
 1.79 a Br. Oak 8 in. diam.  
 26.50 " Hickory 6 " "  
 40.00 Set g<sup>r</sup>. sec. post from which  
     a W. Oak 8 in. dia. bears N 66 W 48 lks. dist.,  
     & a Do. 10 " " " S 52 W 43 " "  
 43.75 an Indian trail course S. W.  
 46.87 a R. Oak 12 in. diam., (= not measurable)  
 63.65 a Brook 10 lks. wide cr. E. & E. sluggish & =  
 80.00 Set post cor. sec. 12 & 13 from which  
     a Y. Oak 18 in. dia. bears S 12 W 64 lks. dist. &  
     & a Br. Oak 15 " " " N 43 W 15 " "  
 Land &c. similar, from 20 to 60 lks. well timbered.

- 
- North On E. side of Sec. 12  
 37.85 a W. Oak 15 in. diam.  
 40.00 Set g<sup>r</sup>. sec. post from which  
     a W. Oak 30 in. dia. bears S 8  $\frac{1}{2}$  W 169 lks. dist.  
     & a Hickory 13 " " " N 4  $\frac{1}{2}$  W 94 " "  
 51.52 a Hickory 7 " "



S. 34 N. R. 7 W. 2<sup>nd</sup> New Ind.

80.00 Set a post cov. sec. 1 & 12 from which  
a Y. Oak 24 in. dia. bears S 11° W 42<sup>1</sup>/<sub>2</sub> M. dist.  
& a W. Oak 15 " " " N 6° W 129 " "  
Land &c. similar, all well timbered

North On E. side of sec. 1.

2.86 a W. Oak 36 in. diam.  
29.26 " Y. Oak 15 " "  
40.00 Set q<sup>r</sup>. sec. post from which  
a Y. Oak 20 in. dia. bears S 62° W 169<sup>1</sup>/<sub>2</sub> M. dist.  
& a W. Oak 40 " " " N 46° W 312 " "  
47.81 a W. Oak 8 " "  
49.00 Enter a marsh  
62.50 Leave the Do.  
79.60 To town corner. Land &c. similar but  
very thinly timbered. February 9<sup>th</sup> 1834  
Surveyed by Robert Clark. Dep. Sur.

North Boundary.

Var. 6° E.

West On S. side of sec. 36 T. 35 N. R. 7 W

40.00 Set q<sup>r</sup>. sec. post from which  
a Hickory 19 in. dia. bears N 74° E 98 M. dist.  
& a Do. 20 " " " N 19° W 145 " "  
49.13 a W. Oak 29 " "  
59.13 " Do. 17 " "  
60.00 Lake to the South about 20 ch. & marshy in  
75.00 - near the line.  
80.00 Set post cov. sec. 35 & 36 from which  
a W. Oak 18 in. dia. bears N 77° E 104 M. dist.  
& a Do. 22 " " " N 78<sup>1</sup>/<sub>2</sub>° W 100 " "  
Land rolling W. Oak Barren with wet valleys  
Hills mostly well timbered with W. Oak & Hickory

West On S. side of sec. 35 T. 35 N. R. 7 W.

6.50 Enter a marsh

411

T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind.

- 12.50 Leave the marsh  
 40.00 Set gr. sec. post from which  
     a W. Oak 38 in. dia. bears N 40 E 60 lbs. dia.,  
     & a Do. 16 " " " N 51 3/4 W 50 " "  
 54.03 a W. Oak 19 " "  
 80.00 Set post cor. sec. 34 & 35 from which  
     a Y. Oak 18 in. dia. bears N 20 1/2 E 74 lbs. dia.,  
     & a W. Oak 16 " " " N 19 W 83 " "  
 Land &c. similar to last mile,

- West On S. side of sec. 34 T. 35 N. R. 7 W.,  
 40.00 Set gr. sec. post from which  
     a W. Oak 14 in. dia. bears N 56 W 100 lbs. dia.,  
     & a Hickory 11 " " " N 34 E 158 " "  
 54.00 Enter a marsh  
 66.00 Leave the Do.  
 75.00 Enter a Do.  
 80.00 Set post cor. sec. 33 & 34 from which  
     a Y. Oak 14 in. dia. bears N 1/2 W 218 lbs. dia.,  
     & a Do. 16 " " " N 12 1/4 W 209 " "  
 Land &c. similar, very thinly timbered

- West On S. side of sec. 33 T. 35 N. R. 7 W.  
 2.50 Leave marsh  
 2.75 Indian trail course N. N. W.  
 34.19 a Hickory 3 in. diam.,  
 40.00 Set gr. sec. post from which  
     a Hickory 6 in. dia. bears N 88 E 436 lbs. dia.,  
     & a Do. 6 " " " S 37 1/4 W 138 " "  
 48.46 a Hickory 5 " "  
 76.85 a Brook 8 lbs. wide cr. W. N. W. sup. not durable  
 80.00 Set post cor. sec. 32 & 33 from which  
     a W. Oak 16 in. dia. bears S 51 1/2 E 522 lbs. dia.,  
 Land rolling, good soil covered with small  
 Hickories from 2 to 5 in. diameter,

T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

- West On S. side of Sec. 32 T. 35 N. R. 7 W.  
 37.25 Enter a marsh  
 40.00 Set q<sup>r</sup>. sec. post from which  
     a Hickory 6 in. dia. bears N 87° E 467 lks. dist.  
     No other tree convenient,  
 45.00 Leave marsh  
 68.35 a Y. Oak 15 in. diam.,  
 80.00 Set post cor. sec. 31 & 32 from which  
     a Br. Oak 16 in. dia. bears N 46 3/4° E 100 lks. dist.  
     & a Y. Oak 15 " " " N 56 1/2° W 35 " "  
     Land &c. similar, some large Br. & Y. Oak  
     On the W. & mile,

- West On S. side of sec. 31 T. 35 N. R. 7 W.,  
 40.00 Set q<sup>r</sup>. sec. post from which  
     a Y. Oak 15 in. dia. bears N 35° E 252 lks. dist.  
     & a Br. Oak 14 " " " N 39° W 283 " "  
 47.00 Enter a marsh  
 50.50 a Brook 10 lks. wide cor. N. sluggish  
     supposed, not to be desirable  
 61.00 Leave marsh & Enter dry prairie  
 79.55 Intersect W. boundary, at 6.01.00 set post  
     cor. T. 34 & 35 N. R. 7 & 8 W. where raised  
     a mound.

E. of marsh land &c. similar, prairie  
 rolling & 1<sup>st</sup> rate. February 16<sup>th</sup> 1834,  
 Surveyed by Robert Clark. Dep. Sur.

## West Boundary.

- Var. 6° E.  
 North On E. side of sec. 36 T. 34 N. R. 8 W.  
 40.00 Set q<sup>r</sup>. sec. post in prairie  
     No bearings, nor mound,  
 63.00 Enter a marsh  
 80.00 Set post cor. sec. 25 & 36 in marsh  
     water deep. No bearings, nor mound

T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind. 413

C. L. Land low wet in places & 2<sup>nd</sup> rate soil  
all prairie,

---

North On E. side of sec. 25 T. 34 N. R. 8 W,  
2.75 Leave marsh  
19.00 Enter a Do,  
24.50 Leave Do. & Enter River a hill  
40.00 Set g. sec. post in prairie from which  
a Br. Oak 18 in. dia. bears N 43° E 736 lbs. dia,  
64.00 Enter a marsh  
78.00 Leave the Do,  
80.00 Set post cor. sec. 24 & 25 in an Indian  
trail course S. W. in prairie, no mound,  
Land &c. similar, something higher,

---

North On E. side of sec. 24 T. 34 N. R. 8 W  
23.28 Enter marsh  
28.00 Leave the Do,  
40.00 Set g. sec. post from which  
a Hickory 8 in. dia. bears N 12½° E 544 lbs. dia,  
+ a Do. 3 " " " N 81¾° E 96 " "  
71.50 Enter marsh with some aspen & willow,  
73.00 a current of water course N. W.,  
80.00 Set post cor. sec. 13 & 24 from which  
an aspen 14 in. dia. bears S 54° E 72 lbs. dia,  
+ a Do. 12 " " " N 18¾° E 96 " "  
Land &c. similar broken by wet places,  
some small Hickories & Oaks,

---

North On E. side of sec. 13 T. 34 N. R. 8 W,  
10.90 a Willow 20 in. diam. (Double)  
13.00 Leave marsh or swamp  
40.00 Set g. sec. post from which  
a Hickory 4 in. dia. bears S 11¼° W 155 lbs. dia,  
+ a Y. Oak 19 " " " N 63½° E 146 " "  
48.00 Leave prairie & Enter Br. Oak & Hickory barrens,

T. 34 N. R. 7 W. 2<sup>nd</sup> New Ind.

80.00 Set post cor. sec. 12 & 13 from which  
 a Hickory 7 in. dia. bears N 45° W 35 lks. dist.  
 & a Br. Oak 10 " " " S 28½° W 64 " "  
 Land a good soil. N. of prairie very thin  
 & poorly timbered with small Oaks & Hickories

North On E. side of sec. 12 T. 34 N. R. 8 W.

2.02 a Y. Oak 17 in. diam,

40.00 Set q. sec. post from which  
 a Br. Oak 9 in. dia. bears N 36° W 31 lks. dist.  
 & a Do. 10 " " " S 38° W 25 " "

80.00 Set post cor. sec. 1 & 12 from which  
 a Hickory 8 in. dia. bears S 43½° W 107 lks. dist.  
 & a Do. 7 " " " N 46½° W 281 " "  
 Land good soil poorly timbered with  
 small Hickories & Br. Oaks.

North On E. side of sec. 1 T. 34 N. R. 8 W

17.25 Enter a marsh

25.00 Leave the Do.

29.00 Enter " Do.

40.00 Set q. sec. post in marsh water 8 in.

51.00 Leave marsh & Enter dry prairie

81.00 To Town corner, Land N. of Marsh  
 rolling rich prairie. February 7<sup>th</sup> 1834.  
 1834. Surveyed by Robt. Clark, Dep. Sur.

## Subdivision.

Var. 6<sup>th</sup> E.

North Between sections 35 & 36

40.00 Set q. sec. post. & Raise a mound  
 a Pit 10 lks. East

80.00 Set post cor. sec. 35, 35, 35 & 36. in a  
 mound, a Pit 10 lks. South  
 1<sup>st</sup> rate clay prairie.



East On Random between sec. 35 & 36  
 30.00 Enter a marsh water 12 in. deep  
 45.00 Leave marsh  
 79.43 Intersect Co. line of sec. 35 1/4 mi. N. of post  
 1<sup>st</sup> rate prairie & marsh

---

West Correct line between sec. 35 & 36  
 39.76 1/2 Set q. sec. post in marsh  
 79.43 To Sec. corner.

---

North Between sections 25 & 26  
 11.50 Enter marsh, water 24 in. deep  
 17.00 Leave Do.  
 40.00 Set q. sec. post cor. in mound  
 a Set 10 lbs. East.  
 80.00 Set post cor. sec. 23.24.25 & 26 in corners  
 a B. Oak 16 in. dia. bears S 3 E 134 lbs. dist.  
 & a Os. 16 " " " N 64 W 348 " "  
 Broken 2<sup>nd</sup> rate clay prairie

---

East On Random between sec. 24 & 25.  
 25.00 Enter a marsh water 12 in. deep  
 34.00 Leave the Do.  
 79.55 Intersect N. & S. line of sec. 21 1/4 mi. N. of post  
 Rolling 2<sup>nd</sup> prairie on barrens there being  
 only a few scattering trees.

---

West Correct line between sec. 24 & 25  
 39.77 1/2 Set q. sec. post from which  
 a Hickory 10 in. dia. bears N 8 W 261 lbs. dist.  
 No other tree near  
 79.55 Sec. corner

---

North Between sections 23 & 24  
 40.00 Set q. sec. post from which  
 a W. Oak 18 in. dia. bears N 28 E 133 lbs. dist.

T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind.

C. L. & no other tree count.

64.00 Cutted marsh water 24 in. diam.

70.00 Leave Do.

80.00 Set post cov. sec. 13, 14, 23 & 24 from which  
 a Hickory 10 in. dia. bears S 51 $\frac{1}{2}$  E 151 lks. dist,  
 & a Do. 10 " " " N 66 E 261 " "  
 Rolling barrens 2<sup>nd</sup> rate soil,

East On Random between sec. 13 & 24

79.82 Intersect E. line of sec. 27 lks. N. of post  
 Hickory & Black Oak Barrens & 2<sup>nd</sup> rate soil

West Correct line between sec. 13 & 24

39.91 Set q<sup>r</sup>. sec. post from which  
 a W. Oak 12 in. dia. bears N 69 W 23 lks. dist,  
 & a Hickory 10 " " " S 53 E 65 " "

48.29 a B. Oak 18 " "

79.82 sec. corner. July 16<sup>th</sup> 1834 —

North Between sections 13 & 14

8.41 a Hickory 8 in. diam.

40.00 Set q<sup>r</sup>. sec. post from which  
 a W. Oak 8 in. dia. bears S 10 E 101 lks. dist,  
 & a Hickory 8 " " " N 31 $\frac{1}{2}$  W 147 " "

53.97 a Hickory 10 " "

63.82 a W. Oak 12 " "

80.00 Set post cov. sec. 11, 12, 13 & 14 from which  
 a W. Oak 14 in. dia. bears S 33 W 9 lks. dist,  
 & a B. Oak 10 " " " N 33 E 56 " "  
 Oak openings. tolerate timber 2<sup>nd</sup> rate

East On Random between Sec. 12 & 13

59.00 Marsh water 30 in. deep

77.50 Leave Do.

79.91 Intersect Range line 5 lks. N. of post  
 W $\frac{1}{2}$  beautiful B. W. & y. oak Hickory &c,

Co. L. interspersed with small marshes

---

West Correct line between Sect. 12 & 13  
 39.95 $\frac{1}{2}$  Set q<sup>r</sup>. sec. post in small Marsh  
 a W. Oak 12 in. diam. bears S 88 $\frac{1}{2}$  E 337 lks. dist.  
 No other near  
 47.99 a W. Oak 8 in. diam.,  
 79.91 Sec. corner,

---

North Between sections 11 & 12  
 8.41 a Hickory 8 in. diam.,  
 40.00 Set q<sup>r</sup>. sec. post from which  
 a Br. Oak 10 in. diam. bears S 57 $\frac{1}{2}$  E 39 lks. dist.,  
 & a Do. 24 " " " S 78 $\frac{1}{2}$  W 61 " "  
 76.08 a W. Oak 12 " "  
 80.00 Set post cor. sec. 1, 2, 11 & 12 from which  
 a W. Oak 8 in. diam. bears S 64 W 60 lks. dist.,  
 & a Do. 14 " " " N 21 E 32 " "  
 Oak openings - some good building & B. ash  
 timber. 2<sup>nd</sup> rate soil & level

---

East On Random between sec. 1 & 12  
 79.81 Intersect Range line 45 lks. N. of post  
 a part of the N. of the line good W & B. Oak  
 timber. Ballance broken rough burrens  
 interspersed with small grass marshes

---

West Correct line between Sect. 1 & 12  
 39.90 $\frac{1}{2}$  a Br. Oak 4 in. diam. for q<sup>r</sup>. sec. cor. tree  
 79.81 Sec. corner,

---

North Between Sections 1 & 2  
 19.92 a W. Oak 12 in. diam.,  
 40.00 Set q<sup>r</sup>. sec. post from which  
 a W. Oak 12 in. diam. bears S 11 $\frac{1}{2}$  E 68 lks. dist.  
 & a B. Oak 20 " " " N 31 W 100 " "

T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind.

E. L. Directly E. from this post is a fine  
 clear lake, covering about 25 acres of land  
 65.00 Marsh water from 4 to 20 in. deep  
 77.86 Intersect N. boundary at post in edge  
 of marsh, & Established cor. sec. 1 & 2  
 No bearings. South of T. line Oak openings  
 some good timber & 2<sup>nd</sup> rate soil  
 17<sup>th</sup> July 1834. —

---

## North Between sections 34 &amp; 35

40.00 Set q<sup>r</sup>. Sec. post & Raise a mound  
 a Pit East 10 lks. dist,  
 80.00 Set post cor. sec. 26, 27, 34 & 35 in mound  
 a Pit South 10 lks. dist,  
 1<sup>st</sup> rate rich dry prairie, grass & Robin weed

---

## East On Random between sec. 26 &amp; 35

79.98 Intersect E. line of sec. 7 lks. N. of post  
 1<sup>st</sup> rate dry prairie, grass & Robin weed

---

## West Correct line between sec. 26 &amp; 35

39.99 Set q<sup>r</sup>. sec. post & Raise a mound  
 Pit. East 10 lks. dist,  
 79.98 Sec. corner.

---

## North Between sections 26 &amp; 27

40.00 Set q<sup>r</sup>. sec. post & Raise a mound  
 a Pit 10 lks. dist — East  
 80.00 Set post cor. sec. 22, 23, 26 & 27 in mound  
 a Pit East 10 lks. dist,  
 High rich gently rolling prairie, grass  
 Robin weed & Bear Grass &c —

---

## East On Random between sec. 23 &amp; 26

79.92 Intersect E. line of sec. 5 lks. S. of post  
 Prairie same as North line

S. 34 N. R. 7 W. 2<sup>nd</sup> New Ind. 419

West Correct line between sec. 23 & 24  
 39.96 Set q<sup>r</sup>. sec. post & Raise a mound  
 a Pit. East 10 lks. dist,  
 79.92 Sec. corner,

---

North Between sections 22 & 23  
 40.00 Set q<sup>r</sup>. sec. post & Raise a mound  
 a Pit East 10 lks. dist,  
 80.00 Set post cor. sec. 14.15. 22 & 23 in mound  
 a Pit South 10 lks. dist,  
 Rich dry rolling prairie, prairie grass & some W. H.,

---

East On Random between sec. 14 & 23  
 38.00 Entered thin Br. Oak barrens  
 79.75 Intersect E. line of sec. 13 lks. S. of post  
 W<sup>1</sup>/<sub>2</sub> rich prairie. E<sup>1</sup>/<sub>2</sub> rolling Br. Oak barrens

---

West Correct line between sec. 14 & 23  
 39.87<sup>1</sup>/<sub>2</sub> Set q<sup>r</sup>. sec. post from which  
 a Br. Oak 6 in. dia, bears N 85<sup>1</sup>/<sub>2</sub> W 83 lks. dist,  
 & a Do. 8 " " " S 75 E 195 " "  
 79.75 Sec. corner,

---

North Between sections 14 & 15  
 37.00 Entered barrens  
 40.00 Set q<sup>r</sup>. sec. post from which  
 a Br. Oak 14 in. dia, bears S 29 E 70 lks. dist  
 & a Do. 10 " " " S 82 W 136 " "  
 71.28 a W. Oak 14 " "  
 80.00 Set post cor. sec. 10.11.14 & 15 from which  
 a W. Oak 18 in. dia, bears S 12<sup>1</sup>/<sub>2</sub> W 167 lks. dist,  
 & a Y. Oak 18 " " " N 49 E 200 " "  
 S<sup>1</sup>/<sub>2</sub> 1<sup>st</sup> rate rich prairie. N<sup>1</sup>/<sub>2</sub> barrens with  
 some good timber & soil 2<sup>nd</sup> rate,

---

East On Random between sec. 11 & 14



T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. S.<sup>u</sup>

79.46 Intersect E. line of sec. 11 th. S. of post  
Land 2<sup>nd</sup> rate Oak & Hickory

---

West Correct line between sec. 11 & 14

39.73 Set q<sup>r</sup>. sec. post from which  
a Br. Oak 8 in. dia. bears N 10 $\frac{1}{2}$  W 44 th. dist.  
& a Hickory " S 9 W 57 " "

79.46 Sec. corner. July 18<sup>th</sup> 1834.

---

North Between sections 10 & 11

20.83 a B. Oak 16 in. diam.

40.00 Set q<sup>r</sup>. sec. post in small prairie  
a W. Oak 30 in. dia. bears S 80 $\frac{1}{2}$  E 352 th. dist.

80.00 Set post cor. sec. 2, 3, 10 & 11 from which  
a W. Oak 18 in. dia. bears S 15 W 181 th. dist.  
& a Do. 14 " " " S 3 $\frac{1}{2}$  E 150 " "

Oak openings, & some fine groves of W. & B. Oak timber, interspersed with small marshes, broken & sec. rate soil.

---

East On Random between sec. 2 & 11

79.43 Intersect E. line of sec. 9 th. N. of post  
W. & B. Oak openings, some fine grass & groves of timber, 2<sup>nd</sup> rate soil

---

West Correct line between sec. 2 & 11

39.76 $\frac{1}{2}$  Set q<sup>r</sup>. Sec. post from which  
a Br. Oak 16 in. dia. bears N 77 $\frac{1}{2}$  E 88 th. dist.  
& a Do. 10 " " " S 45 E 107 " "

79.43 Sec. corner,

---

North Between sections 2 & 3.

Directly W. of line is a small clear lake or pond of water 15 chains in length & 7 in width.

22.50 a Red Oak 18 in. diam.

T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind. <sup>421</sup>

- 40.00 Set q<sup>r</sup>. sec. post from which  
 a W. Oak 12 in. diam. bears S 63 E 34 ths. dist,  
 & a Do. 14 " " " S 11 W 35 " "  
 78.86 Intersect N. boundary 38 ths. W. of post,  
 where set post cor. sec<sup>s</sup>. 2 & 3 from which  
 a W. Oak 10 in. dia. bears S 35 E 34 ths. dist  
 & a Do. 10 " " " S 53 W 65 " "  
 Rough broken W. Oak barrens, interspersed  
 with small marshes

North Between sections 33 & 34

- 40.00 Set q<sup>r</sup>. sec. post & raise a mound  
 a Pit 10 ths. dist. cor. East  
 80.00 Set post cor. sec<sup>s</sup>. 27, 28, 33 & 34 in mound  
 a Pit South 10 ths. dist,  
 1<sup>st</sup> rate prairie, sandy & loamy soil clay bottom  
 prairie grass, Rosin weed & bear grass &c

East On Randon between sections 27 & 34

- 79.42 Intersect E. line of sec<sup>s</sup>. 9 ths. N. of post  
 Prairie same as last N. line,

West Correct line between sec<sup>s</sup>. 27 & 34

- 39.71 Set q<sup>r</sup>. sec. post in a mound  
 a Pit East 10 ths. dist,  
 79.42 Sec. corner,

North Between sections 27 & 28

- 40.00 Set q<sup>r</sup>. sec. post in edge of barrens  
 a Hickory 8 in. dia. bears N 67 E 65 ths. dist,  
 No other bearing convenient,  
 65.81 a Hickory 8 in. diam.  
 80.00 Set post cor. sec<sup>s</sup>. 21, 22, 27 & 28 from which  
 a Br. Oak 6 in. dia. bears S 32 W 272 ths. dist,  
 & a Do. 6 " " " N 41 E 202 " "  
 1<sup>st</sup> rate gentle rolling prairie & barrens

T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind. a

East On Randon between sec. 22 & 29  
 2.00 Entered prairie  
 79.49 Intersect E. line of sec. 20 ths. N. of post  
 1<sup>st</sup> rate prairie gently rolling. short prairie  
 rosinweed & Bear grass &c.

---

West Correct line between sec. 22 & 29  
 39.79 $\frac{1}{2}$  Set gr. sec. post in mound  
                     a Pit East 10 ths. dist.  
 79.49 Sec. corner,

---

North Between sections 21 & 22  
 40.00 Set gr. sec. post from which  
                     a Br. Oak 8 in. dia. bears S 15 $\frac{1}{2}$  W 21 ths. dist.  
                     & a W. Oak 6 " " " N 48 $\frac{1}{2}$  E 49 " "  
 80.00 Set post cor. sec. 15, 16, 21 & 22. in small marsh  
                     a Br. Oak 14 in. dia. bears S 60 E 303 ths. dist.  
                     & a Br. 14 " " " S 53 W 315 " "  
 Br. Oak barrens. some good timbered 2<sup>nd</sup> rate

---

East On Randon between sec. 15 & 22  
 48.00 Entered a prairie  
 79.70 Intersect E. line of sec. 25 ths. N. of post  
 W $\frac{1}{2}$  Oak & Hickory openings good timbered 2<sup>nd</sup> rate  
 E $\frac{1}{2}$  broken & rough barrens

---

West Correct line between sec. 15 & 22  
 39.85 Set gr. sec. post from which  
                     a Hickory 10 in. dia. bears N 24 E 13 ths. dist.  
                     & a W. Oak 10 " " " S 2 E 16 " "  
 44.25 a W. Oak 30 " "  
 59.78 a Br. Oak 18 " "  
 79.70 Sec. corner. July 19<sup>th</sup> 1834

---

North Between sections 15 & 16  
 29.20 a Hickory 14 in. diam,

- 40.00 Set q<sup>r</sup>. sec. post from which  
 a Br. Oak 8 in. dia. bears S 47 $\frac{1}{2}$  E 172 lks. dist.  
 & a Do. 24 " " " N 46 E 172 " "
- 80.00 Set post cor. sec<sup>s</sup> 9, 10, 15 & 16 from which.  
 a W. Oak 10 in. dia. bears N 29 W 111 lks. dist.,  
 & a Y. Oak 18 " " " S 31 $\frac{1}{2}$  E 86 " "  
 Broken, rough W. & Y. Oak barrels poor soil

- East On Random between sec<sup>s</sup> 10 & 15  
 15.00 a Spring brook 3 lks. wide ex. N. W.  
 36.00 a Brook 3 " " " W.  
 80.00 Intersect E. line of sec<sup>s</sup> 2 lks. N. of post  
 Very broken hilly rough poor W. Oak barrels,

- West correct line between sec<sup>s</sup> 10 & 15  
 40.00 Set q<sup>r</sup>. sec. post from which  
 a W. Oak 24 in. dia. bears N 64 E 4 lks. dist.,  
 & a Hickory 6 " " " S 61 W 49 " "
- 80.00 Sec. corner.

- North Between sections 9 & 10  
 9.00 a Spring brook 3 lks. wide ex. W. in. marsh  
 13.59 a Br. Oak 8 in. dia.,  
 40.00 Set q<sup>r</sup>. sec. post in barrels, rough.  
 a Jack Oak 4 in. dia. bears S 56 E 90 lks. dist.,  
 57.25 a W. Oak 7 " "  
 76.00 a Do. 10 " "  
 80.00 Set post cor. sec<sup>s</sup> 3, 4, 9 & 10 from which  
 a Hickory 10 in. dia. bears S 23 E 23 lks. dist.,  
 & a Red Oak " " N 51 $\frac{1}{2}$  W 16 " "  
 S $\frac{1}{2}$  broken rough barrels. N $\frac{1}{2}$  level Oak  
 openings. 2<sup>nd</sup> rate soil good timber

- East On Random between sec<sup>s</sup> 3 & 10  
 79.60 Intersect E. line of sec<sup>s</sup> 7 lks. N. of post  
 Oak openings. Timber good, interspersed

T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind.

6. E. small marshes &

---

West Correct line between sec. 3 & 10  
 39.80 Set q<sup>r</sup>. sec. post from which  
     a W. Oak 10 in. dia. bears N 57 E 156 lks. dist.  
     & a Do. 20 " " " N 63 W 178 " "  
 79.60 Sec. corner,

---

North Between sections 3 & 4  
 28.38 a W. Oak 30 in. dia.  
 40.00 Set q<sup>r</sup>. sec. post in a small marsh  
     a Br. Oak 14 in. dia. bears N 40 E 600 lks. dist.  
 64.10 a W. Oak 6 " "  
 79.14 Intersect N. boundary 55 lks. E. of post  
     & set post cor. sec. 3 & 4 from which  
     a Br. Oak 6 in. dia. bears S 13 W 230 lks. dist.  
     & a W. Oak 10 " " " South 260 " "  
     S<sup>1</sup>/<sub>2</sub> Oak openings. Beautiful timber  
     N<sup>1</sup>/<sub>2</sub> barrens broken & rough & small marshes

---

North Between sections 32 & 33  
 40.00 Set q<sup>r</sup>. sec. post & Raine a mound  
     a Pit 10 lks. dist. course East  
 75.00 Enter Barrens  
 80.00 Set post cor. sec. 28, 29, 33 & 33 from which  
     a Hickory 10 in. dia. bears S 64 W 29 lks. dist.  
     & a W. Oak 18 " " " N 69 E. 14 " "  
     Rolling prairie covered with graf. Robin  
     weed. Bear trap &

---

East On Randon between sec. 28 & 33  
 66.00 Enter prairie  
 79.53 Intersect E. line of sec. 12 lks. N. of post  
     Barrens & prairie. some good timber on  
     W<sup>1</sup>/<sub>2</sub> Oak Hickory &c. prairie 1<sup>st</sup> rate

---

West Correct line between sec. 28 & 33.



T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind. 435

39.77½ Set q<sup>r</sup>. sec. post from which  
a W. Oak 16 in. dia. bears N 50 E. 51 lks. dist.  
+ a Do. 8 " " " S 2½ W 97 " "  
79.53 sec. corner. July 20<sup>th</sup> 1834

---

North Between sections 28 & 29

11.21 a B. Oak 14 in. diam,  
22.00 Enter marsh water from 12 to 36 in. deep.  
33.56 Leave the marsh  
40.00 Set q<sup>r</sup>. sec. post from which  
a Hickory 12 in. dia. bears E. 24 lks. dist.  
+ a Y. Oak 15 " " " W. 50 " "  
50.00 Enter Calamus pond water 40 in. deep  
55.00 Leave " Do.  
65.00 Enter " Do. a marsh water 48 in "  
80.00 Set post cor. sec<sup>s</sup> 20, 21, 28 & 29 in edge of pond  
a Br. Oak 20 in. dia. bears N 8 W 103 lks. dist.  
+ a Do - " N 8 E 144 " "  
Rough barrens poor soil some good timber

---

East On Random between sec<sup>s</sup> 21 & 28.

15.00 Leave marsh  
79.40 Intersect E. line of sec<sup>s</sup> 35 lks. N. of post  
W<sup>2</sup> marsh & broken barrens E<sup>2</sup> level burning

---

West Correct line between sec<sup>s</sup> 21 & 28.

39.70 Set q<sup>r</sup>. sec. post from which  
a Br. Oak 10 in. dia. bears N 40 E 46 lks. dist.  
+ a Hickory 6 " " " S 10 E 66 " "  
79.40 sec. corner.

---

North Between sections 20 & 21

23.00 Enter prairie  
40.00 Set q<sup>r</sup>. sec. post & raise a mound  
a Pit East 10 lks. dist.  
80.00 Set post cor. sec<sup>s</sup> 16, 17, 20 & 21 in mound  
Pit. South 10 lks. dist.

T. 34 N. R. 7 W. 2<sup>nd</sup>. Mer. Ind.<sup>a</sup>

C. Co. S  $\frac{1}{4}$  Broken W. Oak barrens & rough  
N  $\frac{3}{4}$  1<sup>st</sup> rate prairie gentle rolling

East On Random between sec. 16 & 21  
30.00 Enter marsh water from 4 to 24 in. dia.  
50.00 Leave marsh & enter barrens  
79.45 Intersect E. line of sec. 5 th. N. of post.  
W  $\frac{1}{2}$  prairie & marsh. E  $\frac{1}{2}$  rough barrens

West Correct line between sec. 16 & 21  
39.77 $\frac{1}{2}$  Set gp. sec. post in marsh  
79.45 Sec. corner.

North Between sections 16 & 17.  
40.00 Set gp. sec. post from which  
a Y. Oak — bears N 1 W 878 th. dist.  
49.00 Leave prairie  
59.00 a B. Oak 16 in. diam.  
80.00 Set post cor. sec. 8. 9. 16 & 17 from which  
a Hickory 8 in. dia. bears S 22 W 35 th. dist.  
& a Do. 10 " " " N 53 E 51 " "  
S  $\frac{1}{2}$  1<sup>st</sup> rate prairie high & gently rolling  
prairie grass. Robin weed. bear grass &c. N  $\frac{1}{2}$   
Oak openings. good timber.

East On Random between sections 9 & 16  
35.00 Enter prairie  
60.00 Enter barrens  
70.00 Enter marsh water from 12 to 36 in.  
75.00 Enter barrens  
79.53 Intersect E. line of sec. 20 th. N. of post  
E  $\frac{1}{2}$  1<sup>st</sup> rate prairie & 2<sup>nd</sup> rate

West Correct line between sec. 9 & 16  
39.76 $\frac{1}{2}$  Set gp. sec. post from which  
a Br. Oak 18 in. dia. bears S 11 W 532 th. dist.  
& a Y. Oak 18 " " " N 2 W 390 " "

79.53 To sec. corner.

North Between sections 8 & 9

40.00 Set g<sup>r</sup>. sec. post from which  
 a Br. Oak 12 in. dia. bears S 68° W 212 lks. dist.  
 & a Y. Oak 20 " " " N 68° E 248 " "  
 81.00 Set post cor. sec. 4, 5, 8 & 9 from which  
 a Y. Oak 10 in. dia. bears S 42° E 174 lks. dist.  
 & a Hickory 8 " " " N 17° W 117 " "  
 1/2 Oak openings, fine timber W<sup>2</sup> Hickory  
 Barren, poor soil.

East On Random between sec. 4 & 9

80.00 Intersect E. line of sec. 25 lks. N. of post  
 W<sup>2</sup> Hickory barren. E<sup>2</sup> Oak openings  
 Good timber & sec. rate soil.

West Correct line between sec. 4 & 9

23.54 a W. Oak 14 in. diam.  
 40.00 Set g<sup>r</sup>. sec. post from which  
 a Jack Oak 6 in. dia. bears N 24° E 61 lks. dist.  
 & a Do. - 6 " " " N 25° W 48 " "  
 46.83 a W. Oak 24 " "  
 81.00 Sec. corner.

North Between sections 4 & 5

40.00 Set g<sup>r</sup>. sec. post from which  
 a Hickory 3 in. dia. bears S 32° E 47 lks. dist.  
 & a Do. 3 " " " N 40° W 125 " "  
 79.25 Intersect N. boundary, 8 lks. E. of post  
 in marsh where set post cor. sec. 4 & 5  
 no bearings. Small scrubby Hickory  
 barren & poor soil. July 21<sup>st</sup> 1834.

North Between sections 31 & 32

40.00 Set g<sup>r</sup>. sec. post in mound. Pit 10 lks. dist. East

T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind.

80.00 Set post in mound cor. sec. 29. 30. 31 & 32  
a Pit South 10 lks. dist,  
S $\frac{1}{2}$  low marshy prairie. N $\frac{1}{2}$  gently rolling  
& 1<sup>st</sup> rate prairie.

East On Random between sec. 29 & 32  
14.50 Entered marsh water 36 in. deep  
47.00 Leave Do.  
65.00 Entered barrens  
79.73 Intersect E. line of sec. 15 lks. N. of post

West Correct line between sec. 29 & 32  
39.86 $\frac{1}{2}$  Set q<sup>r</sup>. sec. post in marsh  
79.73 Sec. corner,

North Between sections 29 & 30  
40.00 Set q<sup>r</sup>. Sec. post & Raise mound  
a pit East 10 lks. dist.  
80.00 Set post cor. sec. 19. 20. 29 & 30.  
where raise mound. Pit S. 10 lks. dist.  
S $\frac{1}{2}$  broken prairie, interspersed with  
small marsh. N $\frac{1}{2}$  rolling prairie 2<sup>nd</sup> rate

East On Random between sec. 20 & 29  
30.00 Entered Br. Oak barrens  
79.86 Intersect E. line of sec. 5 lks. S. of post  
W $\frac{1}{2}$  sec. prairie. E $\frac{1}{2}$  broken rough barrens  
interspersed with small marshes & water  
from 4 to 25 in. deep

West Correct line between sec. 20 & 29  
39.93 Set q<sup>r</sup>. sec. post from which  
a Br. Oak 14 in. dia. beam S 49 W 64 lks. 7 in  
& a Do. 12 " " " S 49 E 47 " "  
79.86 Sec. corner,

North Between sections 19 & 20

33.00 Enter Oak openings

34.07 a Hickory 8 in. diam.

40.00 Set g<sup>r</sup>. sec. post from which

a Br. Oak 18 in. dia. bears N 81 E 48 lbs. dist.

& a W. Oak 8 " " " S 81 W. 30 " "

54.37 a W. Oak 26 " "

80.00 Set post cov. Secs. 17, 18, 19 & 20 from which

a W. Oak 36 in. dia. bears N 33 E 86 lbs. dist.

& a Hickory 12 " " " S 35 W 71 " "

S<sup>1</sup>/<sub>4</sub> sec. rate prairie. N<sup>3</sup>/<sub>4</sub> W. R & Br. Oak openings & fine timber.

East On Random between Secs. 17 & 20

25.00 Entered prairie

79.65 Intersect E. line of sec. 2 lbs. N. of post

W<sup>1</sup>/<sub>4</sub> 1<sup>st</sup> rate land Oak timber.

E<sup>3</sup>/<sub>4</sub> 1<sup>st</sup> rate prairie.

West Correct line between Secs. 17 & 20

39.82 $\frac{1}{2}$  Set g<sup>r</sup>. sec. post from which

a Br. Oak 8 in. dia. bears S 42 W 51 lbs. dist.

& a Y. Oak 10 " " " N 51 W 57 " "

79.65 Sec. corner.

North Between sections 17 & 18

8.00 a W. Oak 40 in. diam.

40.00 Set g<sup>r</sup>. sec. post from which

a Br. Oak 18 in. dia. bears S 20 W 195 lbs. dist.

No other

80.00 Set post cov. secs. 7, 8, 17 & 18 from which

a Hickory 10 in. dia. bears N 12 W 317 lbs. dist.

& a Br. Oak 10 " " " N 11 E 262 " "

S<sup>1</sup>/<sub>4</sub> W. & Br. Oak openings N<sup>3</sup>/<sub>4</sub> prairie open barrens. & mashes water from 4 to 12 in deep Good timber on the S<sup>1</sup>/<sub>4</sub> of this mile.



T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind.

- East On Random between sec. 8 & 7  
 79.55 Intersect E. line of sec. <sup>15 1/2</sup> S. of post  
 W & open poor Hickory barrens, E & Oak  
 openings good timber
- 
- West Correct line between sec. 8 & 7  
 23.14 a W. Oak 18 in. diam,  
 33.87 a W. Oak 24 " "  
 39.77 1/2 Set g<sup>t</sup>. sec. post from which  
 a Y. Oak 16 in. dia. bears S 79 1/2 E 324 lks. dist  
 No other near  
 79.55 Sec. corner,
- 
- North Between sections 7 & 8,  
 40.00 Set g<sup>t</sup>. sec. post from which  
 a Br. Oak 12 in. dia. bears N 54 E 112 lks.  
 & a Hickory 4 " " " N 60 W 52 "  
 62.25 a Spring brook 3 lks. wide runs NW,  
 80.00 Set post cor. sec. 5, 6, 7 & 8 in brook  
 a Br. Oak 12 in. dia. bears N 85 1/2 W 198 lks. dist,  
 & a Do, 8 " " " N 74 1/2 W 231 " "  
 Scrubby barrens, poor soil,
- 
- East On Random between sec. 5 & 8,  
 79.55 Intersect E. line of sec. 2 lks. S. of post  
 Poor scrubby barrens & marshes.
- 
- West Correct line between sec. 5 & 8,  
 39.77 1/2 Set g<sup>t</sup>. sec. post from which  
 a Br. Oak 10 in. dia. bears S 9 E 257 lks.,  
 & a Hickory 6 " " " N 59 W 120 "  
 79.55 sec. corner,
- 
- North Between sections 5 & 6  
 40.00 Set g<sup>t</sup>. sec. post from which  
 a Y. Oak 10 in. dia. bears N 1 E 392 lks. dist.

T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind.<sup>431</sup>

71.34 a Br. Oak 8 in. diam.

79.65 Intersect N. boundary. 33 lks. E. of post  
where set post cor. sec. 5 & 6

a Y. Oak 14 in. diam. bears S 76° W 60 lks. dit.

& a Do. 12 " " " S 25° E 235. "

Broken barren, poor soil. July 23<sup>rd</sup> 1834

---

West On Random between sec. 30 & 31

80.26 Intersect W. boundary. 30 lks. N. of post  
in water. marked for cor. sec. 30 & 31

E  $\frac{1}{4}$  1<sup>st</sup> rate prairie. W  $\frac{1}{4}$  low marsh

---

East Correct line between sec. 30 & 31

No bearings -

40.26 Set g<sup>o</sup> sec. post in marsh. no bearings,

80.26 Sec. corner.

---

West On Random between sec. 19 & 30

23.00 Enter low wet prairie. Ballance to  
West boundary - wet prairie & marsh & water  
from 4 to 36 in. deep

79.94 Intersect W. boundary. 5 lks. N. of post

E  $\frac{1}{4}$  1<sup>st</sup> rate prairie - Rem<sup>n</sup>. wet.

---

East Correct line between sec. 19 & 30

Raise mound. pit South 10 lks. dit.

39.94 Set g<sup>o</sup> sec. post in water in marsh

79.94 Sec. corner.

---

West On Random between sec. 18 & 19

30.00 Enter prairie

79.87 Intersect W. boundary - (- prairie

E  $\frac{1}{4}$  Oak Openings W  $\frac{1}{2}$  broken marshy -

---

East Correct line between sec. 18 & 19

No bearings.

T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind.

- 39.87 Set q<sup>r</sup>. sec. post from which  
 a Y. Oak 14 in. dia. bears N 33 E 38 lks. dist.  
 & a Hickory 8 " " " S 51 W 9 " "
- 79.87 Sec. corner,

West On Random between sec. 7 & 18  
 79.64 Intersect W. boundary 35 lks. N. of post  
 Br. Oak & Hickory bearing 2<sup>nd</sup> rate soil  
 interspersed with small marshes

- East \* Correct line between sec. 7 & 18.  
 17.37 a Hickory 12 in. diam.  
 39.64 Set q<sup>r</sup>. sec. post from which  
 a Br. Oak 36 in. dia. bears S 82 E 77 lks. dist.  
 No other.  
 79.64 Sec. corner.  
 { a Br. Oak 12 in. dia. bears S 58 1/2 E 59 lks. dist.  
 \* { & a Y. Oak 6 " " " N 85 E 72 " "

West On Random between sec. 6 & 7  
 79.35 Intersect W. boundary 4 lks. N. of post  
 Sec. rate dry prairie.

- East \* Correct line between sec. 6 & 7  
 39.60 Set q<sup>r</sup>. sec. post from which  
 a Br. Oak 12 in. dia. bears S 81 E 16.91 lks. dist.  
 79.60 sec. corner. July 23<sup>d</sup> 1834.  
 { a Hickory 12 in. dia. bears S 29 E 112 lks. dist.  
 \* { & a Do. 6 " " " N 52 1/2 E 112 " "

I hereby certify that in pursuance of a  
 contract with M. T. Williams, Sur. Gen.  
 of the W. States for the state of Ohio Ind.  
 & the Terr. of Michigan, dated 2<sup>nd</sup> April  
 1834. & in strict conformity to the laws of  
 the W. States & the instructions of said -  
 Sur. Gen. I have surveyed & subdivided

T. 34 N. R. 7 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup> 433

into sections T. 34 N. R. 7 W. 2<sup>nd</sup> Mer.,  
in the state of Indiana, & I do further  
certify the foregoing are the true and original  
field notes of said survey & subdivision,  
Executed as aforesaid.

Certified the 23<sup>d</sup> day of July 1834  
Andrew Burnside D.S.

Seth May.	Chain carrier
Joseph Hines.	Do. Do.
Samuel S. Clair.	Marker
David S. Clair.	Flag bearer

---

### General Description.

A general scarcity of timber prevails in this  
Township. Water very scarce, except marsh  
water of a bad quality. Soil in general  
not good. A. Burnside. Dep. Sur.

---

I certify that the foregoing transcript of  
field notes of Township 34 North Range 7  
West 2<sup>nd</sup> Mer. in the state of Indiana, has  
been compared with the original in this  
office, and found to be correct.

William Johnston  
Sur. Genl.

Surveyor General's office.  
Cincinnati. Sept. 30<sup>th</sup> 1834.

---